

EVIDENCIJSKI BROJ NABAVE: / PROCUREMENT FILE REFERENCE NUMBER:

IR-500-21

30.9.2023.

SVIM ZAINTERESIRANIM
GOSPODARSKIM SUBJEKTIMA
TO ALL INTERESTED ECONOMIC
OPERATORS

Predmet: I. Pojašnjenje Dokumentacije za nadmetanje

Subject: Clarification of Tender Documentation No. 1

U postupku nabave „Dodatni materijal za zavarivanje 1“, nastavno na upite gospodarskih subjekata dostavljamo pojašnjenja i izmjene kako slijedi. /

In the procurement process " Additional welding material 1" following the inquiries from economic entities we provide clarifications and amendments as follows.

Pitanje:

U Troškovniku s korekcijom od 21.9. crvenom je naznačeno „... u kolutu za lasersko zavarivanje“.

Možete li pojasniti o kojem tipu koluta se radi?

Koja je maksimalna dimenzija promjera koluta koju uređaj za lasersko zavarivanje može primiti?

Koja je dimenzija osovine na koju se kolut žice postavlja?

Za referencu pogledajte sliku u prilogu.

Standardni koluti kod MIG/MAG zavarivanja su BS300, S300, B300 te ovisno o vrsti žice teže od 7 do 18 kg.

Kod EPP zavarivanja standardni koluti su K415, DIN 760... i variraju od 25 do 150-250 kg.?



S300 - 6kg spool



B300 - 7kg spool

Odgovor:

U Troškovniku pod stavkom 2 potrebna nam je žica u kolutu za lasersko zavarivanje, promjer 2.0 mm, tip S 300. Dopunjuje se prilog II Troškovnik. Ispravak je označen crvenom. Ponuditelji trebaju koristiti zadnju verziju Troškovnika.

Questions:

In the Cost Sheet with the correction of 21.9. "... laser welding wire reel" is indicated in red. Can you clarify what type of reel it is?

What is the maximum reel diameter dimension that the laser welder can accommodate?

What is the dimension of the shaft that the coil of wire is placed on?

See attached image for reference.

Standard coils for MIG/MAG welding are BS300, S300, B300, and depending on the type of wire, they weigh from 7 to 18 kg.

For EPP welding, standard reels are K415, DIN 760... and vary from 25 to 150-250 kg.?



S300 - 6kg spool



B300 - 7kg spool

Answer:

In the Cost Sheet under item 2, we require wire in a reel for laser welding, diameter 2.0 mm, type S 300. Annex II of the Cost Sheet is supplemented. The correction is marked in red. Bidders should use the latest version of the Cost Sheet.

Napomena

Ovo pojašnjenje i sve izmjene nabavne dokumentacije se stavljaju na raspolaganje svim zainteresiranim gospodarskim subjektima objavom na internet stranici www.strukturnifondovi.hr.

/

Remark:

This clarification and all changes to the procurement documentation are made available to all interested economic operators by publishing it on the website www.strukturnifondovi.hr.